

# Project defaults

Often, a client will place orders with the same target languages. There are several ways of avoiding having to type in the same or similar data every time you create a new project. One way is to simply **clone** a previous project, but this will require you to make sure that no old data is relevant. Using **Project defaults**, you can start from scratch but still fill in the target languages quickly.

## Storing project defaults

Under *Tools & Data / Project defaults*, you can create and edit defaults. A default is linked to either a Client keyword (sometimes called a "Brand") or a Production (typically a TV series). In this case, we are editing the defaults for a Sample Corporation. Please note that aside from the target language itself, additional data can be stored – such as tags.

Update project defaults

Save

Cancel

Dashboard / Tools & data / Project Defaults

Client keyword defaults

Production defaults

Client keyword

Sample Corporation Inc

| Expected                            | Language             | Code  | Framerate | Version | Tag                                    |
|-------------------------------------|----------------------|-------|-----------|---------|----------------------------------------|
| <input type="checkbox"/>            | Afrikaans            | af    |           |         |                                        |
| <input type="checkbox"/>            | Arabic               | ar    |           |         |                                        |
| <input checked="" type="checkbox"/> | Belarusian           | be    |           |         | Target: subtitling ✕                   |
| <input checked="" type="checkbox"/> | Bulgarian            | bg    |           |         | Target: dubbing ✕ Target: subtitling ✕ |
| <input type="checkbox"/>            | Catalan              | ca    |           |         |                                        |
| <input checked="" type="checkbox"/> | Czech                | cs    |           |         |                                        |
| <input checked="" type="checkbox"/> | Danish               | da    |           |         | Target: subtitling ✕                   |
| <input type="checkbox"/>            | German (Austria)     | de-AT |           |         |                                        |
| <input checked="" type="checkbox"/> | German (Switzerland) | de-CH |           |         | Target: SDH ✕                          |

## Applying project defaults

1. Use the Simple project form to create or edit a project.
2. Make sure it has either a Client keyword or a Production.
3. Select "Load defaults"

**Project title** (required)

**Client keyword** (required)  

Sample Corporation Inc

The values to be inserted will be shown in a preview. Click "Load defaults" to confirm.

Load defaults

Client keyword defaults

Production defaults

| Language             | Tag                                |
|----------------------|------------------------------------|
| Belarusian           | Target: subtitling                 |
| Bulgarian            | Target: dubbing Target: subtitling |
| Czech                |                                    |
| Danish               | Target: subtitling                 |
| German (Switzerland) | Target: SDH                        |

Cancel

Load defaults

The stored values have now been inserted in the Target section at the bottom of the form (replacing any previously selected values).

| Language   | Selected                            | Internal                 | First                    | Tag                                    |
|------------|-------------------------------------|--------------------------|--------------------------|----------------------------------------|
| English    | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="text"/>                   |
| Swedish    | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="text"/>                   |
| Norwegian  | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="text"/>                   |
| Danish     | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Target: subtitling ✕                   |
| Finnish    | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="text"/>                   |
| Afrikaans  | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="text"/>                   |
| Arabic     | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="text"/>                   |
| Belarusian | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Target: subtitling ✕                   |
| Bosnian    | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="text"/>                   |
| Bulgarian  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Target: dubbing ✕ Target: subtitling ✕ |

Revision #1

Created 2020-05-11 13:33:46 UTC by Plint

Updated 2021-07-08 12:21:29 UTC by Plint